App. F. IX-4

1940

PRESERVED

Previous References

193 .
( )
Legis.

File No. 41-40

Serial Nos. 1

Later References.

Legis 41-40 (2-3;
" 41-40 (4-5)
PRL 18-41-(7-8)

33

GENERAL AND REVENUE SECRETARIAT.

Serial Nos. One only

Part B for December 1940.

SUBJECT.

Measures to prevent Sabotage at Large dams.

WD 0573—GPB—22,500—12-9-39

30. 1. 41

General and Revenue Secretariat | File No. | of 194 | [App. F. III-2

Serial No.

From

The Secretary to the Hon'ble the Resident

Secret No. F. 221/1940 dated 16th November 1940

Re measures to prevent sabotage at large dams.

RESIDENCY
FIRST
NOV 19 1940
No. 5030

1) "For perusal and Orders"
Id/A.N.R.
1st Member & Dewan 16-11-40

2) Secret. Copies to I.G.P. and Ch.El.Engineer
Id/ N.M.
16-11-40

3) To be submitted to His Highness.
Id/ M.I.
16-11-40

4) It is stated that details and plans relating to the Krishnarajasagara Dam and the Vani Vilas Dam may be presumed to have fallen into German hands. It is therefore suggested that our protective measures may be reviewed.

Flag X

5) A list of places declared as protected places so far is put up. Neither of the two dams have been declared as protected places.

6) The Residency also suggest that hydro-electric works with power houses may be declared as protected places. Many of them have been so declared. The Ch.El.Engineer will be consulted as to whether any other such works require similar protection.

7) Submitted with drafts to the I.G.of Police and the Ch.El.Engineer for orders

Sd/-
19.11.40.
I Member)

8) Hm
19.11.40.
19/11

9) Sd/-
20/11/40

Hm
20/11

NOTE—Contn. Sheet.

Measures to prevent sabotage at large dams 3071/0

File No. of 194 General and Revenue Secretariat

	Serial No.
Issued P 2696 dated 20th November 1940 to the Ch. El. Engineer	
Issued P 2697 dated 20th November 1940 to the Secretaries	
11) As mentioned a D&OR is put up. 25.11.40 25/11	
Law Secy) Chief Secy W/C) 12) 25/11 25/11	
Defence) 13) 25/11 26/11	

3544/25/11

DEPT. OFFICE 25 NOV 1940 NC 3446

Submitted to His Highness.

SUBJECT:- Measures to prevent sabotage at large dams.

M 14) I submit for the gracious perusal of His Highness a letter dated the 16th November 1940 received from the Residency stating that details and plans of the Krishnarajasagar Dam and Vani Vilas Dam, among others, are presumed to have fallen into German hands, and suggesting that the protective measures in regard to hydro-electric works be reviewed and that such works with power houses be declared as "protected places".

X 15) Action has already been taken to declare certain places as "protected places" under the Defence of India Rules, as applied to Mysore. Similar steps will be taken regarding the places now suggested, in consultation with the Inspector General of Police and the Chief Electrical Engineer.

N. Madhava Rao

First Member of Council in charge of current duties of the Dewan.

Bangalore,
26th November 1940.

Record of Cases submitted for the Orders of His Highness the Maharaja.

Subject.

Measures to prevent sabotage at the Krishnarajasagar and Vani Vilas Dams.

Chief Secy
No
29-11-40

Order.

NO-322

16) TRW.
27/11/40.

MS
30.11.40

N.S.167

General and Revenue Secretariat.

SUBJECT:—

Measures to prevent sabotage at the K.R.S. and V.V. Dams.

(*)

31 All urgent or confidential files returned with His Highness' orders may in the absence of instructions or indications to the contrary, be ordinarily circulated to the Members of Council for perusal after the issue of orders.

33. The Secretaries concerned should see that orders in the cases referred to above are issued at once and that the files are returned immediately after to the Chief Secretary for circulation to the Members.

34. In all other cases, the files will first be circulated to the Members of Council at Headquarters and then sent to the Secretariat concerned for the issue of orders.

Circulated to Members of Council for perusal of His* Highness, orders before/~~after~~ issue of orders. (*Vide* Rules 31, 33 and 34 of the Subsidiary Rules for the conduct of business of Council in the Manual of Council Rules and Procedure.)

17) M Visvesvaraya

Chief Secretary to Government.

Through the Secretary to Government,

.....Law.....Department. 18) 30/11/40

5435
30/11/40

FIRST MEMBER OF COUNCIL.

19) 29/11/40

5458
2.12.40

20)

SECOND MEMBER OF COUNCIL.

2.12

Law Secy. With Compliments

1/12
2/12

NOTE.—Contn. sheet.

WD 01183—GPB—500—16-10-40

3/12/40

3258

Measures to prevent sabotage at big dams

General and Revenue Secretariat | File No. | of 194 | [App. F. III-2

Serial No.

From

The I. G. of Police

C 210/39-40 dated 25. 11. 40

Stating the arrangements made to guard the two dams.

2) The main file has been submitted with a D.S.N. The Residency stated ~~that~~ it may be presumed that plans etc., of high dams in India had fallen into German hands and wanted our protective measures to be reviewed. The I.G. of Police to whom a copy of this letter was sent has now replied and details the arrangements made to guard the two particular dams in question.

A draft to the Chief Engineer on the point raised in the I.G. of Police's letter, last paragraph is submitted for orders.

28.11.40

(For Member)

22) 28/11

23) 29/11/40

29/11

Demi P 2843 d 30.11.40 to the Chief Engineer.

From

The Ch. Electrical Engineer

No 10734 dated 27th November 1940

forwarding a list of Places of the Inland Patrolled Places

From

The Secretary to the Hon'ble the Resident

Secret F 221/1940 dated 27th November 1940

enquiring about the allotment and the Internal Security Scheme

24) A copy of the letter from the Residency regarding the falling into German hands of plans etc., was sent to the

NOTE—Contn. Sheet.

OFFICE OF THE FIRST MEMBER OF COUNCIL
NOV 28 1940
No 5361

Measures to prevent sabotage at large dams

3258/B

File No. of 194 General and Revenue Secretariat

Serial No.

OFFICE OF THE FIRST MEMBER OF COUNCIL
DEC 5 1940
No. 5607

Chief Electrical Engineer also. He has now replied and sent a list of six more places which he recommends may be declared as "protected places". Such a declaration by itself will be of no use unless adequate police guard is mounted on each place to regulate admission. If approved, the I.G. of Police will be consulted as to whether these places require such additional protection by being declared police protection.

25) The Residency want to know if any alteration has been made in the States Forces Internal Security Scheme as a result of the information conveyed by them. Whether arrangements under the scheme include the two dams in question and whether any alteration has been made thereto as a result of the Residency letter is not known. If approved, the I.G.P. will be requested to furnish such details. X

26) Submitted with two drafts, one to the I.G.P. and another to the Residency, for orders.

One
30.XII.40

(1st member)

27) The I.G.P. & the C.C. will have to be consulted. Kay M 5

28) MS 5.12.40

29) MM 6/12/40 MS 6/12

Issued Pol 2941 dt 7th Dec 1940 to the I.G. of Police.
Issued Pol 810 dt 7th Dec 1940 to the Residency.
Reference para 27 above. Drafts to the DGP and CC are put up for orders.

One 9.12.40

Please bring up.

MS 9/12

CHIEF SECRETARY * 9 DEC 1940 * GOVT. OF MYSORE

The draft to the DGP has been approved and instructions have been given for issue the letter to the CC. yet.

One 10/12

3559

Measures to prevent sabotage at large dams

General and Revenue Secretariat | File No. | of 194 | [App. F. III-2

Serial No.

Issued P 2000 date 10th December 1940 to the D.I.G. of Police.

From

The D. I. G. of Police

Sent with no C 210/39-40 dated 9.12.40.

forwards information wanted.

The Inspector General of Police is of opinion that the 6 places recommended by the Chief Electrical Engineer need not be declared as protected places as the Superintendents of Police have been instructed to post 3 guards to each of these places in case of emergency and to render prompt help whenever wanted.

In view of this opinion no action need perhaps be taken to declare them as protected places.

The Inspector General of Police has also stated that the Military Forces Scheme remains unaltered. This information was called for, as the Residency wanted to know if the scheme had been altered as a result of plans etc., of large dams having fallen into German hands.

If approved a reply will be sent to the Residency on the lines of the Inspector General's reply.

The details of the arrangements made by the I.G.P. to guard the Krishnarajasagara and Vani Vilas Dams need not perhaps be sent to the Residency.

Submitted with a draft.

11/12/40

(Sd) [illegible]

11/12

11/12/40

Issued Pol 843 d 12.12.40 to the Residency.

12/12

NOTE—Contn. Sheet.

3930

Measures to prevent sabotage at Cauvery Dams 3559/8

File No. of 194 | General and Revenue Secretariat

Serial No.

From
The I. G. of Police
C. 210/33-40 dated 12.12.40
States that the State Forces Scheme is the same as the Internal Security Instructions.

The Residency had referred to a scheme known as the State Forces Internal Security Scheme. The IG.P was consulted about the scheme (Para 27 q/note) He has now replied that the scheme is the same as the "Internal Security Instructions"

No further action is called for in this file and it will be closed if approved.

One 2/1/41

Chief Secy) But a further communication has been promised & the Resy.

2/1

CHIEF SECRETARY 2 JAN 1941 GOVT. OF MYSORE.

From
Chief Engineer
2462/K.33 dated 23.12.40
stating that accommodation has been given to Police at K.R.Sagara.
Refer Flag T. The DG.P demanded accommodation for Police. This has now been given.

Explained to the Chief Secretary in person that a final Rly had been sent to the Residency on 12.12.40

OFFICE OF THE
FIRST MEMBER OF COUNCIL
NOV 16 1940
No. 4906.

307/1940

1604
C3

Agri 41-40-1

Secret. No.F.221/1940.

From The Secretary to the Resident in Mysore,
Bangalore.

CHIEF SECRETARY.
NOV. 1940
GOVT. OF MYSORE.

To The Chief Secretary to the Government of Mysore,
Bangalore,

Dated, Bangalore, 16th November 1940.

Subject:- Measures to prevent sabotage at large dams.

Sir,

I am directed to say that information has been received from the Political Department to the effect that schedules containing details and plans of almost all the high dams in India were supplied by the Central Board of Irrigation to the International Commissioner on High Dams whose office was situated in Paris. All the schedules including those referred to in the margin are now presumed to have fallen into German hands. Consequently the danger of sabotage particularly in the case of hydro-electric works must be regarded as having increased and I am to request that if the Government of Mysore see no objection their protective measures may kindly be reviewed. I am to add that it is suggested that if any hydro-electric works have power-houses, it would be advisable to declare them as protected places if this has not already been done.

1. Krishnarajasagra Dam :
2. Vani-Villas Dam. :

I have the honour to be,

Sir,

Your obedient servant,

Secretary to the Resident in Mysore.

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Secret.

No. P2696/Sec 1

Dated, Bangalore, 24th November 1940.

From

The ~~Chief~~ Secretary to the Government of His Highness the Maharaja of Mysore.
Law Department.

To

The Chief Electrical Engineer in Mysore,
Bangalore.

Sir,

Subject:- Measures to prevent sabotage at large dams.

I am directed to forward herewith for your information and necessary action copy of Secret letter No. F. 221/1940 dated 16th November 1940 on the above subject and to request you to kindly furnish Government with a list of hydro-electric works with power houses, other than those declared already as protected places, which you consider should be so declared, together with a list of officers to whom the power to regulate admission thereto may be delegated.

A very early reply is requested.

I have the honor to be,
Sir,
Your most obedient servant,

20/11

For Secretary to Government,
Law Department.

Draft) P2696/Encl
I 20.11.40

SECRET.

The Chief Electrical Engineer.

Sir,

Subject:-Measures to prevent sabotage ~~of~~ at large dams.

I am directed to forward herewith for your information and necessary action copy of Secret letter No.F.221/1940 dated 16th November 1940 on the above subject and to request you to kindly furnish Government with a list of hydro-electric works with power houses, other than those declared already as protectd places, which you consider should be so declared, together with a list of officers to whom the power to ~~delegate~~ regulate admission thereto may be delegated.

A very early reply is requested.

I have etc.,

19/11

Chief Secretary to Government.

P 26957 Encl.
dy 20. 11. 40.

Secret.

To

The Inspector General of Police.

Subject:- Measures to prevent sabotage at large dams.

Sir,

I am directed to forward herewith for your information and necessary action copy of Secret letter No. F. 221/1940 dated 16th November 1940 received from the Residency on the above subject.

I have etc.,

19/11

Chief Secy. to Govt.

3258 240

Tel. { phone. 2108
gram. POLICE

OFFICE OF THE
INSPECTOR-GENERAL OF POLICE IN MYSORE,

No.C.210/39-40.

Bangalore, dated November 25 1940.

FROM

RAJASEVAPRASAKTA A. V. RAMANATHAN, ESQ., B.A.,
Offg. *Inspector-General of Police in Mysore,*
Bangalore.

The Chief Secretary
to the Government of Mysore, Bangalore.

Subject: Measures to prevent sabotage at large dams.

Sir,

P3071

With reference to your Secret letter No.P.2695/39-40, of the 20th November 1940 forwarding copy of Secret letter No.F.221/40 of the 16th November 1940 received from the Residency, I have the honour to state that the following arrangements have been made in respect of the two dams:-

1. Krishnarajasagara.

(a) An armed guard of one Naik and six Constables has been deputed to guard the approaches to the Dam.

(b) The staff of the local Police Outpost has been instructed to patrol the dam and gardens.

(c) A Constable in plain clothes is also deputed to move about the gardens.

2. Vani Vilas Dam.

The staff of the local Police Outpost has been instructed to patrol the dam and its approaches subject to frequent check by the Police Inspector and Sub Inspector of Hiriyur and strengthening of the staff on occasions of large influx of visitors or of visits of strangers.

I request that the Chief Engineer may kindly be instructed to place at the disposal of the District Superintendent of Police, Mandya District, necessary accommodation for the Provincial Reserve Police Detachment.

I have the honour to be,
Sir,
Your most obedient servant,

INSPECTOR GENERAL OF POLICE.

No P2843 & 30.11.40.

To

The Chief Engineer in Mysore.

Subject:- Measures to prevent sabotage at large dams.

Sir,

I am directed to state that the Inspector General of Police in Mysore has requested that necessary accommodation may be made available for the Provincial Reserve Police Detachment deputed to guard the Krishnarajasagara dam and may be placed at the disposal of the District Superintendent of Police, Mandya District.

I am therefore to request you to kindly have the necessary accommodation made available to the police force in consultation with the District Superintendent of Police, Mandya.

A report of the action taken in the matter may be sent to Government early.

I have etc.,

28/11

Chief Secy. to Govt.

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat 30 November 1940.

Dated, Bangalore,

No. P2843.

From

The Chief Secretary to the Government of His Highness the Maharaja of Mysore.

To The Chief Engineer in Mysore,
Bangalore.

Sir,

Subject:- Measures to prevent sabotage at large dams.

I am directed to state that the Inspector General of Police in Mysore has requested that necessary accommodation may be made available for the Provincial Reserve Police Detactment deputed to guard the Krishnarajasagara dam and may be placed at the disposal of the District Superintendent of Police, Mandya District.

I am therefore to request you to kindly have the necessary accommodation made available to the police force in consultation with the District Superintendent of Police, Mandya.

A report of the action taken in the matter may be sent to Government early.

I have the honor to be,
Sir,
Your most obedient servant,

For Chief Secretary to Government

Telephone No. 2110

IN REPLY REFER TO
No. 10734
ENCLO.

Telegraphic Address
"GOMED"

CODES USED
BENTLEY'S, LIEBER'S
A. B. C. 6TH EDITION.
BUSINESS TELEGRAPHIC CODE

SECY. & REV. SECRETARIAT
28 NOV. 1940

GOVERNMENT OF MYSORE
ELECTRICAL DEPARTMENT

OFFICE OF THE CHIEF ELECTRICAL ENGINEER,
Bangalore, 25th November 1940
(MYSORE, S. INDIA.)

SECY. LAW DEPT.
27 NOV. 1940
GOVT OF MYSORE

CONFIDENTIAL.

From

S. G. FORBES, ESQ., E.E., B.Sc., E. & M.E., MEM. A.I.E.E.,
CHIEF ELECTRICAL ENGINEER
TO THE GOVERNMENT OF MYSORE.
BANGALORE.

To

The Secretary to Government,
Law Department,
BANGALORE.

Sir,

MEASURES TO PREVENT SABOTAGE
OF HYDRO-ELECTRIC WORKS.

With reference to your letter No.2696 of 20-11-40, I have the honour to inform you that the places mentioned in the accompanying statement may also be included in the schedule of protected places in addition to those referred to in Chief Secretary's letter No.P.7552-Legis.29-39-9 dated 28th May 1940.

All the places mentioned in the accompanying statement are important centres of Electric distribution and are very vulnerable to acts of sabotage. Therefore, these places should be fully protected and admission thereto should be regulated strictly by passes to be issued by the officers empowered to do so.

I have the honour to be,
Sir,
Your most obedient servant,

CHIEF ELECTRICAL ENGINEER.

PLACES TO BE PROTECTED AGAINST SABOTAGE.

Name of place.	Officer empowered to exercise.
1. Transformer Station at the Mysore Chemicals & Fertilisers Works, Belagola, Mysore District.	1) The Superintendent,Power & Light, Mysore, and 2) The Manager, Mysore Chemicals & Fertilisers Works.
2. Electric Sub-Station at Belagola Pumping Station.	1) The Superintendent,Power & Light, Mysore, and 2) The Superintendent,Vanivilas Water Works, Mysore.
3. Transformer Station at Thippagondanahalli Pumping Station.	1) The Superintendent,Power & Light,Bangalore, and 2) The Superintendent,Chamarajasagara Water Works, Bangalore.
4. Transformer Station at Soldevanahalli.Pumping Station.	1) The Superintendent,Power & Light,Bangalore, and 2) The Executive Engineer, Water Supply Division, Bangalore.
5. Transformer Station at Davangere.	1) The Superintendent,Power & Light, Bhadravati, & 2) The Asst.Superintendent, Power and Light, Davangere.
6. Transformer Station at Bethamangala Pumping Station.	1) The Superintendent,Power & Light, Kolar Gold Fields, Championreefs,& 2) The Superintendent,Kolar Gold Fields Water Works, Bethamangala.

S.G. Forbes

CHIEF ELECTRICAL ENGINEER.

3730 P 40

Secret. No.F.221/1940.

From:- The Secretary to the Resident in Mysore, Bangalore.

To The Chief Secretary to the Government of Mysore, Bangalore.

C.S. 27.11.40

Dated, Bangalore, 27th November 1940.

Subject:- Measures to prevent sabotage at large dams.

Sir,

3071 I am directed to refer to my letter No.F.221/1940 dated the 16th November 1940, and to say that the Military Adviser, Southern India Circle, has enquired whether, as a result of the information contained therein, the Government of Mysore have made any alterations to their States Forces Internal Security Scheme, as any such alterations will have to be forwarded to Headquarters of the Military Adviser-in-Chief, Indian States Forces.

I have the honour to be,
Sir,
Your obedient servant,

Secretary to the Resident in Mysore.

Draft)

Confidential.

The I.G.of Police.

Sir,

Measures to prevent sabotage at large dams.

I am directed to forward herewith a list of places recommended by the Chief Electrical Engineer, in view of their importance as electric distribution centres and their vulnerability, to be declared as protected places and to request you to kindly furnish your opinion thereon to Government very early.

I am also to forward herewith copy of a Secret letter No.F.221/1940 dated 27th November 1940 on the above subject and to request you to kindly furnish Government with the information wanted therein.

I have etc.,

Chief Secretary to Government

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Confidential.

Dated, Bangalore. 7th December 1940.

No. P 2941
Encl 2

From

The Chief Secretary to the Government of His Highness the Maharaja of Mysore.

To

The Inspector General of Police in Mysore,
Bangalore.

Sir,

Subject:- Measures to prevent sabotage at large dams.

I am directed to forward herewith a list of places recommended by the Chief Electrical Engineer, in view of their importance as electric distribution centres and their vulnerability, to be declared as protected places and to request you to kindly furnish your opinion thereon to Government very early.

I am also to forward herewith copy of a Secret letter No. F. 221/1940 dated 27th November 1940 on the above subject and to request you to kindly furnish very early to Government the information wanted therein.

I have the honor to be,
Sir,
Your most obedient servant,

For Chief Secretary to Government.

Draft)

CONFIDENTIAL.

The Secretary to the Resident.

Sir,

I am directed to acknowledge the receipt of your Secret letter No.F.221/1940 dated the 27th November 1940 on the above subject and to state that the information wanted therein will be sent early.

I have etc.,

3/12

Chief Secretary to Government

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Confidential. **General and Revenue Secretariat.**

Dated, Bangalore. 7th December 1940.

No. Pol 810

From

The Chief Secretary to the Government of His Highness the Maharaja of Mysore.

To

Sir,

Subject:- Measures to prevent sabotage at large dams.

I am directed to acknowledge the receipt of your Secret letter No. F. 221/1940 dated the 27th November 1940 on the above subject and to state that the information wanted therein will be sent early.

I have the honor to be,
Sir,
Your most obedient servant,

for Chief Secretary to Government.

not approved

Secret.

To

The Chief Commandant, Mysore State Troops

Subject:- Measures to prevent sabotage at large dams.

Sir,

I am directed to state that a reference has been made by the Residency to ~~the~~ a Scheme called the States Forces Internal Security Scheme, and to reques that a copy of the scheme and details of any arrangements made thereunder may be kindly sent to Government for reference.

I have etc.,

Chief Secy. to Govt.

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

General and Revenue Secretariat

Secret.

Dated, Bangalore, 16th December 1940.

No. P3000

From

The Chief Secretary to the Government of His Highness the Maharaja of Mysore.

To

The Inspector General of Police in Mysore,
Bangalore.

Subject:- Measures to prevent sabotage at large dams.

Sir,

I am directed to invite reference to para 2 of Secret letter No.F.221/1940, dated 27th November 1940 of the Residency, copy of which was forwarded to you with this office letter No. P.2941, dated 7th December 1940 and to request that a copy of the States Forces Internal Security Scheme referred to therein and details of any arrangements made thereunder may be kindly sent to Government for reference.

I have the honor to be,
Sir,
Your most obedient servant,

For Chief Secretary to Governmen

No. P3000 & 10-12-40

Secret.

To

The Inspector General of Police.

Subject:- Measures to prevent sabotage at large dams.

Sir,

I am directed to invite reference to para 2 of Secret letter No. F. 221/1940, dated 27th November 1940 of the Residency, copy of which was forwarded to you with this office letter No. P. 2941, dated 7th Decr. 1940 and to request that a copy of the States Forces Internal Security Scheme (referred to therein) and details of any arrangements made thereunder may be kindly sent to Government for reference.

I have etc.,

10/12

Chief Secy. to Govt.

One

SECRET 3559/40 P

Tel. Address:
"POLICE"
PHONE No. 2108.

POLICE DEPARTMENT.

11. DEC. 1940

OFFICE OF THE
INSPECTOR-GENERAL OF POLICE IN MYSORE,

SECRET.

When replying please quote No. C.210/39-40.

Dated Bangalore, December 9, 1940.

FROM

The Inspector-General of Police in Mysore,
Bangalore.

To

The Chief Secretary
to the Government of Mysore, Bangalore.

Sir, P.S. 11/5 10/12 Secy 11/12

Measures to prevent sabotage at large dams.

Sir,

With reference to your letter No.P.2941 dated the 7th December 1940, I have the honour to state that in my opinion it is not necessary to declare the places recommended by the Chief Electrical Engineer as Protected Places. The Superintendents of Police concerned have been instructed to post three guards to each of these places from out of their regular staff in the case of any emergency that may arise. They are also instructed to render prompt help whenever the officers in charge seek assistance. I may mention here that even if the places have to be declared as Protected Places it is not desirable that two officers should be empowered to exercise powers regulating the entry of persons to these places.

Flag Z

As regards para 2 of your letter, I invite reference to my letter No.C.210/39-40 of the 25th November 1940 reporting the arrangements made to guard the Krishnarajasagara and Vanivilas Dams. The Military Forces Scheme remains unaltered.

Flag X

I have the honour to be,
Sir,
Your most obedient servant,

9.12

INSPECTOR GENERAL OF POLICE.

9.12

GOVERNMENT OF HIS HIGHNESS THE MAHARAJA OF MYSORE

Secret

General and Revenue Secretariat

Dated, Bangalore, 12th December 1940.

No. Pol 843

From

The Chief Secretary to the Government of His Highness the Maharaja of Mysore.

To

The Secretary to the Hon'ble the Resident in Mysore.

Sir,

Subject:- Measures to prevent sabotage at large dams.

I am directed to invite reference to your letter No. F.221/1940, dated 27th November 1940 on the above subject and to state that the Military Forces Scheme remains unaltered.

I have the honor to be,
Sir,
Your most obedient servant,

12/12

for Chief Secretary to Government.

R/1843 dt 12.12.1940

Secret.

To

The Secretary to the Hon'ble the
Resident in Mysore.

Subject:- Measures to prevent sabotage at large dams.

Sir,

I am directed to invite reference to your letter No. F.221/1940, dated 27th November 1940 on the above subject and to state that the Military Forces Scheme remains unaltered.

I have etc.,

11/12

Chief Secy. to Govt.

3929 P 840

Tel: Address:
"POLICE"
PHONE No. 2108.

POLICE DEPARTMENT.

OFFICE OF THE
INSPECTOR-GENERAL OF POLICE IN MYSORE,

When replying please quote No: C.210/39-40. SECRET.

Dated Bangalore, December 12, 1940.

FROM

The Inspector-General of Police in Mysore,
Bangalore.

To

The Chief Secretary
to the Government of Mysore, Bangalore.

~~Sir~~

C3. 1115 14/12

Measures to prevent Sabotage at large dams.

Sir,

In reply to your letter No.P.3000 dated the 10th December asking for a copy of the State Forces Internal Security Scheme, I have the honour to invite your kind reference to your letter No.P.4007 dated 22nd November/9th December 1939 to Chief Commandant, Mysore State Troops, approving the "Internal Security Instructions" for Mysore City and to Government Order No.P.1877-942-P.P.94-38-2 dated the 15th September 1939 approving the "Internal Security Instructions".

I have the honour to be,
Sir,
Your most obedient servant,

12-12-40

INSPECTOR GENERAL OF POLICE.

Cole 12.12

3863 P 40

No. 6632
Encls.

OFFICE OF THE SUPERINTENDING ENGINEER,
IRRIGATION CIRCLE (K.R.S. WORKS),
Dated, Mysore, 20 Dec 1940.

FROM



G. SESHAGIRI ROW, ESQ., L.C.E.,
Superintending Engineer, Irrigation Circle
(K.R.S. Works), MYSORE.

TO

The Chief Engineer of Mysore,
(Krishnarajsagar Works),
BANGALORE.

MEASURES TO PREVENT SABOTAGE AT LARGE DAMS.

Sir,

With reference to your No.2254/KSS. dated the 9th December 1940, forwarding a copy of letter No.P.2843 of 30th November 1940, received from the Chief Secretary to Government, regarding the accommodation for the Police force deputed to - guard the Krishnarajsagar Dam, I have the honour to inform you that the Executive Engineer, Krishnarajsagar Division in consultation with the Superintendent of Police, Mandya, has made available two zinc sheet sheds in rear of the Police Station at Krishnarajsagar for occupation by the Reserve Police stationed at Krishnarajsagar at present.

I have the honour to be,
Sir,
Your most obedient servant,

19/12/40
Superintending Engineer,
Irrigation Circle, K.R.S.Works.

Intimate Ch: Secy:

21/12/40
HSN.

No. 2462/KSS. 23.12.40

For information
Chief Secretary
Hqc.
23/12/40.



24/12